

19. Van Tassell, C. P., T. P. L. Smith, L. K. Matukumalli, J. F. Taylor, R. D. Schnabel et al. 2008. SNP discovery and allele frequency estimation by deep sequencing of reduced representation libraries. *Nat. Methods* 5:247-252.
20. Wiedmann, R. T., T. P. L. Smith and D. J. Nonneman. 2008. SNP discovery in swine by reduced representation and high throughput pyrosequencing. *BMC Genet.* 9:81.
21. Amaral, A. J., H. J. Megens, R. P. M. A. Crooijmans, H. C. M. Heuven and M. A. M. Groenen. 2008. Linkage disequilibrium decay and haplotype block structure in the pig. *Genetics* 179: 569-579.
22. Ramos, A. M., R. P. M. A. Crooijmans, N. A. Affara, A. J. Amaral, A. L. Archibald et al. 2009. Design of a high density SNP genotyping assay in the pig using SNPs identified and characterized by next generation sequencing technology. *PLoS ONE* 4: e6524.
23. Meuwissen, T. H. E., B. J. Hayes and M. E. Goddard. 2001. Prediction of total genetic value using genome-wide dense marker maps. *Genetics* 157:1819-1829.
24. Goddard, M. E. and B. J. Hayes. 2009. Mapping genes for complex traits in domestic animals and their use in breeding programmes. *Nat. Rev. Genet.* 10:381-391.
25. Calus, M. P. L. 2009. Genomic breeding value prediction: methods and procedures. *Animal* 4:157-164.
26. Toosi, A., R. L. Fernando and J. C. M. Dekkers. 2010. Genomic selection in admixed and crossbred populations. *J. Anim. Sci.* 88:32-46.
27. <http://www.animalgenome.org/cgi-bin/QTLdb/index>
28. VanRaden, P. M., C. P. Van Tassell, G. R. Wiggans, T. S. Sonstegard, R. D. Schnabel et al. 2009. Reliability of genomic prediction s for North American Holstein bulls. *J. Dairy Sci.* 92:16-24.
29. <http://www-interbull.slu.se>.

: [637.131]

[7].

[1, 6, 8].

100 -2003. IDF

37°

72

: *Staphylococcus aureus* 30347-97,  
*Streptococcus agalactiae* 9225-84, *E.coli* [5].  
 30518-97, *Sallmonella* IDF 93 -2003, 1.

1. (n = 28)

	1		2		3	
		%		%		%
<i>Streptococcus agalactiae</i>	6	21	7	25	6	21
<i>Staphylococcus aureus</i>	14	50	13	46	15	54
<i>E. coli</i>	4	14	5	18	3	11
<i>Sallmonella</i>	2	7	1	4	2	7
	2	7	2	7	2	7

1  
 46-54%  
*Staphylococcus aureus*,  
*Streptococcus agalactiae*,  
*Sallmonella*

1 3  
*Staphylococcus aureus*, *Streptococcus agalactiae*, *Staphylococcus aureus* *Streptococcus agalactiae*. [2].

2. (n = 28)

	1	2	3
	<i>Streptococcus agalactiae</i>	$1,2 \times 10^6 - 1,3 \times 10^7$	$2,4 \times 10^5 - 1,2 \times 10^6$
<i>Staphylococcus aureus</i>	$1,6 \times 10^7 - 1,2 \times 10^8$	$1,0 \times 10^5 - 1,0 \times 10^6$	$1,1 \times 10^8 - 1,0 \times 10^9$
<i>E. coli</i>	$1,4 \times 10^4 - 1,0 \times 10^5$	$1,3 \times 10^2 - 1,6 \times 10^3$	$1,4 \times 10^5 - 1,8 \times 10^6$
<i>Sallmonella</i>	$1,3 \times 10^2 - 1,0 \times 10^3$	$1,3 \times 10^3 - 2,1 \times 10^4$	$1,2 \times 10^4 - 1,0 \times 10^5$
	$1,2 \times 10^4 - 1,7 \times 10^5$	$1,1 \times 10^4 - 1,0 \times 10^5$	$1,3 \times 10^4 - 1,9 \times 10^5$

*E. coli*, *Sallmonella*,

2

[3].

3). 15.5-04718013-003:2010 (

3.

		72,8±1	5
<i>Staphylococcus aureus</i>		81±1	3-5
<i>Streptococcus agalactiae</i>		83±1	3-5
<i>E. coli</i>		65±1	25-30
<i>Staphylococcus aureus</i> <i>Streptococcus agalactiae</i>		85±1	10

*Staphylococcus aureus* 72±1°C 30 (4).

4. *Staphylococcus aureus* 72±1°C (n = 15)

<i>Staphylococcus aureus</i>	<i>S. aureus</i>	<i>S. aureus</i>	, %
15	1	14	93
1,0×10 <sup>5</sup>	2	13	87
1,0×10 <sup>9</sup>	20	14	93
1,0×10 <sup>5</sup>	2	13	87
1,0×10 <sup>9</sup>	30	15	100
1,0×10 <sup>5</sup>	0	15	100
1,0×10 <sup>9</sup>	0	15	100

“ k m lk”.  
5.

5. (M±m, n = 15)

	, %					
1		2,95±0,061	2,67±0,062	3,01±0,061	2,89±0,063	<b>2,88±0,062</b>
		2,97±0,027	3,13±0,028	2,98±0,027	3,05±0,029	<b>3,03±0,028</b>
		8,35±0,247	8,81±0,241	8,38±0,249	8,58±0,251	<b>8,53±0,247</b>
2		3,02±0,071	3,28±0,078	3,10±0,076	3,20±0,074	<b>3,15±0,075</b>
		2,86±0,031	3,07±0,033	3,13±0,037	2,91±0,034	<b>2,99±0,033</b>
		8,07±0,364	8,63±0,375	8,80±0,367	8,19±0,373	<b>8,42±0,369</b>
3		3,35±0,086	3,90±0,082	3,54±0,081	4,55±0,083	<b>3,84±0,083</b>
		2,91±0,031	3,14±0,033	3,03±0,032	2,97±0,029	<b>3,01±0,031</b>
		8,20±0,362	8,80±0,342	8,50±0,338	8,32±0,331	<b>8,46±0,343</b>

[4].

3,29±0,073; 3,01±0,031; 8,47±0,319%.

6.

6.

(M±m, n = 15)

	( : )	, %		
1	1:1	3,14±0,33	3,10±0,45	8,72±0,71
2	1:2	2,78±0,15	3,08±0,20	8,69±0,63
3	2:1	3,32±0,17	3,31±0,15	9,27±0,50
4	3:1	3,35±0,23	2,98±0,19	8,68±0,14
5	1:3	2,60±0,20	3,15±0,20	8,62±0,18
6	1:4	2,67±0,25	3,26±0,22	8,25±0,26
7	4:1	3,30±0,28	3,09±0,24	8,84±0,27
8	1:5	2,30±0,10	3,31±0,14	8,36±0,19
9	5:1	3,39±0,12	3,11±0,17	9,28±0,15

*Staphylococcus aureus*

72±1°C      30

3.

( 8, 6, 5).

1.

2.

4.

1. [ ] / . . . , 1984. – 72 .

2. [ ] / . . . // . . . 15-16 2011 . . . : , 2011. - .

433-437.

3. [ ] / . . . // . . . " 29-30 2011

4. . . . , .277-280.

[ ] / . . . // 2011 . . . : -2011 .207-210.

5. [ ] / . . . - . . . , 1974. – 250 .

6. [ ] / . . . - . . . , 1973 -

144 .

7. . . . , . . . 14.01.2000. ( . . . ( ) , 2000, N 12, .95 ) ( . . . , N 762-IV ( 762-15 ) 15.05.2003, , 2003, N 30, .247 ) . . . , 14 , 2000 N 1393-XIV.

8. Butler, J. A. Rosenbusch. Pasteurization of discard *Mycoplasma mastitic* milk used to feed calves: thermal effects on various *Mycoplasma*. *Journal of Dairy Science* [Text] / J. A. Butler, Sickles S. A., Johanns C. J., R. F. Rosenbusch – 2000 – 83 . 2285-2288.